

PHARMACEUTICAL BULLETINS

TABLE OF CONTENTS

BULLETIN 1	POLYMERS FOR PHARMACEUTICAL APPLICATIONS
	<ul style="list-style-type: none"> ● Introduction ● Product Descriptions ● Typical Properties of Lubrizol's Pharmaceutical Polymers ● Product Grade and Types ● Regulatory Overview ● Product Grade Summary <ul style="list-style-type: none"> □ Oral/Mucosal Adhesive Grades □ Topical Grades
BULLETIN 2	TOXICOLOGY STUDIES AND REGULATORY INFORMATION
	<ul style="list-style-type: none"> ● Toxicology Study Results <ul style="list-style-type: none"> □ Carbopol®* 934 NF and Carbopol® 934P NF Polymers □ Carbopol® 940 NF Polymer □ Carbopol® 941 NF Polymer □ Carbopol® 974P NF, Carbopol® 971P NF and Carbopol® 71G NF Polymers □ Carbopol® 980 NF and Carbopol® 981 NF Polymers □ Carbopol® 1342 NF Polymer □ Carbopol® ETD Polymers □ Pemulen™* TR-1 NF and Pemulen™ TR-2 NF Polymeric Emulsifiers □ Noveon®* AA-1 USP, Noveon® CA-1 USP & Noveon® CA-2 USP Polycarbophils ● Effect on Aquatic Life ● Residual Solvent Levels ● Biotreatability of Carbopol® Polymers ● Food Contact Regulations – 21 CFR ● Food Supplement Regulations – Nutritional Tablets ● Heavy Metals ● Ozone Depleting Substances (ODS) ● ISO 9000 Registration ● American Chemistry Council (ACC) ● References
BULLETIN 3	POLYMER HANDLING AND STORAGE
	<ul style="list-style-type: none"> ● Handling and Storage of the Dry Polymer <ul style="list-style-type: none"> □ Shelf Life □ Moisture □ Effect of Heat □ Re-Test Recommendations □ Dust Precautions

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and

equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use of handling of any material beyond Lubrizol Advanced

Materials, Inc.'s direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.pharma.lubrizol.com

	<ul style="list-style-type: none"> ● Handling and Storage of Dispersions or Mucilages <ul style="list-style-type: none"> <input type="checkbox"/> Storing Dispersions <input type="checkbox"/> Oxidative Degradation of Carbopol® polymers <input type="checkbox"/> Electrolyte Sensitivity <input type="checkbox"/> Temperature Stability <input type="checkbox"/> Sterilization and Irradiation <input type="checkbox"/> Microbial Bioburden <input type="checkbox"/> Microbial Activity <input type="checkbox"/> Packaging ● General Housekeeping and Equipment Cleaning ● References
--	--

BULLETIN 4 DISPERSION TECHNIQUES FOR LUBRIZOL PHARMACEUTICAL POLYMERS

	<ul style="list-style-type: none"> ● Dispersing Procedures <ul style="list-style-type: none"> <input type="checkbox"/> Direct Method <ul style="list-style-type: none"> ▪ Batch Dispersions ▪ Large Batch Dispersions Using an Eductor ▪ Large Quantity Continuous Production Dispersions <input type="checkbox"/> Indirect Method <ul style="list-style-type: none"> ▪ Oil-In-Water Emulsions ▪ Aqueous Suspension from Insoluble Concentrates ● Incorporating Active Pharmaceutical Ingredients into Carbopol® Polymer Dispersions
--	--

BULLETIN 5 NEUTRALIZATION PROCEDURES

	<ul style="list-style-type: none"> ● Introduction ● Aqueous Systems Neutralization ● Aqueous Systems – Thickening by Hydrogen Bonding ● Solvent System Neutralization ● Solvent Systems – Hydrogen Bonding
--	---

BULLETIN 6 THICKENING PROPERTIES

	<ul style="list-style-type: none"> ● Effective pH Range ● Thickening Efficiency ● Effect of Ions ● Cationic Ingredients ● Mechanical Stability ● Temperature Stability
--	--

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and

equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use of handling of any material beyond Lubrizol Advanced

Materials, Inc.'s direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.pharma.lubrizol.com

BULLETIN 7	FLOW AND SUSPENSION PROPERTIES
	<ul style="list-style-type: none"> ● Basic Concepts of Rheology ● Types of Flow Behavior ● Flow Characteristics of Lubrizol Advanced Materials, Inc. Polymers ● Thixotropy ● Macroviscosity vs. Microviscosity ● Yield Value ● Measurement of Yield Value ● Effect of Crosslink Density on Suspending Ability ● Yield Value vs. Viscosity
BULLETIN 8	EMULSIFICATION PROPERTIES
	<ul style="list-style-type: none"> ● Stabilizing Emulsions with Carbopol® Polymers ● Forming Emulsions with Pemulen™ Polymeric Emulsifiers ● Benefits of Pemulen™ Polymeric Emulsifiers ● Formulation Guidelines ● Emulsification Procedure ● Pemulen™ Polymeric Emulsifier Type Selection ● Testing for a Stable Emulsion
BULLETIN 21	FORMULATING SEMISOLID PRODUCTS
	<ul style="list-style-type: none"> ● Benefits of Carbopol® Polymers, Pemulen™ Polymers and Noveon® Polycarbophils in Topical Formulations ● Selecting the Right Polymers for Semisolid Applications ● Formulating Topical Gels ● Formulating Creams and Lotions ● References
BULLETIN 22	ORAL SUSPENSIONS
	<ul style="list-style-type: none"> ● Carbopol® Polymers for Oral Suspensions ● Benefits of Carbopol® Polymers for Oral Suspensions ● Physical and Chemical Properties of Carbopol® Polymers ● Rheology Aspects ● Preparing Oral Suspensions with Carbopol® Polymers ● References
BULLETIN 23	BIOADHESION
	<ul style="list-style-type: none"> ● Benefits of Lubrizol Pharmaceutical Polymers in Bioadhesive Formulations ● Introduction to Bioadhesion ● Measuring Bioadhesion ● Bioadhesion Models ● Introduction to Carbopol® Polymers, Pemulen™ Polymeric Emulsifiers and Noveon® Polycarbophils as Bioadhesives ● Physical and Chemical Properties of Pharmaceutical Polymers from Lubrizol ● Mucoadhesive Mechanism

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and

equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use of handling of any material beyond Lubrizol Advanced

Materials, Inc.'s direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.pharma.lubrizol.com

Lubrizol Advanced Materials, Inc. is a wholly owned subsidiary of The Lubrizol Corporation

* Trademark owned by The Lubrizol Corporation

© Copyright 2008 / The Lubrizol Corporation

	<ul style="list-style-type: none"> ● Hydrogen Bonding ● Surface Energy and Contact Angles ● Chain Interpenetration ● Swelling Rate of Polymer Interacting with the Mucin ● Efficacy and Safety of Carbopol® Polymers in Bioadhesive Applications ● Lubrizol Pharmaceutical Polymers in Various Bioadhesive Applications ● Increasing Bioavailability in Bioadhesive Formulations ● Choosing the Right Lubrizol Polymer for Bioadhesive Applications ● Oral Bioadhesive Grades ● References
BULLETIN 24	FORMULATING TOOTHPASTE USING CARBOPOL® POLYMER
	<ul style="list-style-type: none"> ● Carbopol® Polymers in Toothpaste Applications ● Commercial Use of Carbopol® Polymers ● Regulatory Considerations ● Toothpaste Composition and Ingredient Functionality ● Compatibility of Ingredients ● Toothpaste Rheology and Consistency Control ● Formulating Equipment ● Conclusions ● References ● Toothpaste Formulations: <ul style="list-style-type: none"> <input type="checkbox"/> Fluoride Gel Toothpaste <input type="checkbox"/> Tartar Control Toothpaste <input type="checkbox"/> Clear Fluoride Gel Toothpaste <input type="checkbox"/> Calcium Carbonate-Filled Toothpaste
BULLETIN 30	LUBRIZOL PHARMACEUTICAL POLYMERS FOR CONTROLLED RELEASE TABLETS AND CAPSULES
	<ul style="list-style-type: none"> ● Benefits of Lubrizol Pharmaceutical Polymers in Tablet Formulations ● Physical and Chemical Properties of Carbopol® Polymers and Noveon® ● Polycarbophils ● Drug Release from Tablets with Carbopol® Polymers ● Effect of Crosslinker Level and Gel Characteristics on Drug Release
BULLETIN 31	FORMULATING CONTROLLED RELEASE TABLETS AND CAPSULES WITH CARBOPOL® POLYMERS
	<ul style="list-style-type: none"> ● Effect of Carbopol® Polymer Type on Drug Release ● Effect of Polymer Level on Drug Release ● Effect of Drug Properties on the Release ● Effect of Dissolution Medium on Drug Release ● Recommended Co-Excipients ● Combination of Carbopol® Polymers and Other Control Release Excipients ● Carbopol® Polymers as Tablet Binders ● References

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and

equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use of handling of any material beyond Lubrizol Advanced

Materials, Inc.'s direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.pharma.lubrizol.com

BULLETIN 32	APPLICATION OF CARBOPOL® 71G NF POLYMER IN CONTROLLED RELEASE TABLETS
	<ul style="list-style-type: none"> ● Carbopol® 71G NF Polymer – Development and Properties ● Performance of Carbopol® 71G Polymer in Tablets <ul style="list-style-type: none"> □ Intra-Lot Reproducibility □ Inter-Lot Reproducibility in Direct Compression Process □ Effect of Compression Force on Tablet Properties and Drug Release ● Benefits of Carbopol® 71G NF Polymer in Controlled Release Tablet Formulations

Lubrizol Advanced Materials, Inc. / 9911 Brecksville Road, Cleveland, Ohio 44141-3247 / TEL: 800.379.5389 or 216.447.5000

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions and

equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end product performance are the responsibility of the user. Lubrizol Advanced Materials, Inc. shall not be liable for and the customer assumes all risk and liability of any use of handling of any material beyond Lubrizol Advanced

Materials, Inc.'s direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.

For further information, please visit www.pharma.lubrizol.com