

### **PERFORMANCE COATINGS**

## PrintRite™ DP 339 Ink Receptive Coating

Formulated Coating for Inkjet Printing on Films

PrintRite™ DP 339 is an economical, matte digital ink receptive topcoat for polyester, polyolefin and vinyl films. It is specifically designed for water-based pigment inkjet printing. PrintRite™ DP 339 provides improved color gamut, ink density, print contrast and resolution with instant ink drying. The product is also able to withstand prolonged water soak tests, wet rub tests and when printed with water-based pigment inkjet inks is capable of passing BS5609, a testing requirement for self- adhesive drum labels needing International Maritime Dangerous Goods (IMDG) Certification.

#### **FEATURES AND BENEFITS**

- High Print Quality
- · Ideal for inkjet print applications
- Ink Receptive
- Matte
- Printability

- Ready to Use
- Rub Resistance
- Vibrant colors
- Water Resistance

### **CHARACTERISTICS**

Characteristic Name	Value
Appearance	White Opaque Liquid
Brookfield Viscosity (cps)	400 - 800 (RV#2 @ 20 rpm)
Solids (wt %)	34.0 - 37.0
pH	9.8 - 10.2

# **REGULATORY**

- APEO-Free<sup>1</sup>
- Formaldehyde-Free<sup>1</sup>

NMP-Free<sup>1</sup>

<sup>1</sup>Not intentionally added to the composition of this product

#### **APPLICATIONS**

· Digital Printing Coatings

Published on 11 Oct, 2022

PrintRite™ DP 339

Performance Coatings

# **AVAILABLE REGIONS**

- Asia Pacific
- EMEAI
- Latin America
- North America

#### **RECOMMENDED STORAGE AND RE-TEST DATE**

Lubrizol recommends retesting quality after 90 days. See SDS for storage conditions and handling instructions.

#### **REGULATORY STATUS**

Please see the product's current material safety data sheet, SDS, for regulatory information. You can request an SDS at www.lubrizol.com/coatings.

Should you have questions on additional topics, please feel free to contact your Lubrizol representative or one of our regional Customer Assistance groups listed here:

America: AmerLZAMCustomerAssistance@Lubrizol.com | Europe: EMEAlCustomerAssistance@Lubrizol.com | Asia: APCustomerAssistance@Lubrizol.com | Brazil: BrazilQualityLZAM@Lubrizol.com

# **DISCLAIMER**

Lubrizol Advanced Materials, Inc. ("Lubrizol") hopes that you have found the information provided helpful, but you are cautioned that this material, including any prototype formulas, is for informational purposes only and you are solely responsible for making your own assessment of appropriate use of the information. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAWS, LUBRIZOL MAKES NO REPRESENTATIONS, GUARANTEES, OR WARRANTIES (WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE), INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR REGARDING THE COMPLETENESS, ACCURACY, OR TIMELINESS OF ANY INFORMATION. Lubrizol does not guarantee how the materials referenced herein will perform in combination with other substances, in any methods, conditions, or processes, with any equipment, or in non-laboratory environments. BEFORE COMMERCIALIZATION OF ANY PRODUCT CONTAINING THESE MATERIALS, YOU SHOULD THOROUGHLY TEST SUCH PRODUCT, INCLUDING HOW THE PRODUCT IS PACKAGED, TO DETERMINE ITS PERFORMANCE, EFFICACY, AND SAFETY. You are solely responsible for the performance, efficacy, and safety of any products you manufacture. Lubrizol shall not be liable, and you shall assume all risk and responsibility for, any use or handling of any material. Any claims may not be approved in all jurisdictions. Any entity making claims related to these products is responsible for complying with local laws and regulations. Nothing contained herein is to be considered as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner, and it is your sole responsibility to determine if any issues related to patent infringement of any component or combination of components relating to the information provided exists. You acknowledge and agree that you are using the information provided herein at your own risk. If you are dissatisfied with the information provided by Lubrizol, your exclusive remedy shall be to not use the information.

Published on 11 Oct, 2022 Page 2 of 3

PrintRite™DP 339 Performance Coatings

# **COPYRIGHTS**

Trademarks owned by The Lubrizol Corporation or its affiliates. © The Lubrizol Corporation 2022, All Rights Reserved.

Published on 11 Oct, 2022 Page 3 of 3